40002-12018

PCT

WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification 6:		(11) International Publication Number: WO 98/46091
A23L 2/39, 2/52	A1	(43) International Publication Date: 22 October 1998 (22.10.98)
(21) International Application Number: PCT/F. (22) International Filing Date: 15 April 1997 ((71) Applicant (for all designated States except US): Of HK AB [FI/FI]; Ritarikatu 7 A, FIN-00170 Helsi ((72) Inventor; and ((75) Inventor/Applicant (for US only): KURPPA, Lass [FI/FI]; Ritarikatu 7 A, FIN-00170 Helsinki (FI). (74) Agent: BORENIUS & CO. OY AB; Kansakou FIN-00100 Helsinki (FI).	Y ITAF nki (FI) se, Juha	BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GE, HU, IL, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, TJ, TM, TR, TT, UA, UG, US, UZ, VN, YU, ARIPO patent (GH, KE, LS, MW, SD, SZ, UG), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, ML, MR, NE, SN, TD, TG).
<u></u>		

(54) Title: SPORTS DRINK AND DRINK POWDER

(57) Abstract

The invention relates to a sports drink and a powder composition therefor, which contains a major portion of polysaccharide containing maltodextrine, a balanced proportion of potassium chloride and magnesium sulfate, a restoring amount of sodium chloride, a taste-masking ingredient, and microcrystalline cellulose as an excipient. The molar ratio between potassium and magnesium is about 4:1. The sports drink assists in retaining and restoring the body vigor and liquid balance in connection with exercise.

BNSDOCID: <WO_____9846091A1_I_>

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
ΑT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
ΑZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria 🎋	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	İΕ	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portuga!		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

SPORTS DRINK AND DRINK POWDER

The present invention relates to a sports drink with a balanced proportion of magnesium and potassium as well as to a powder for producing such a drink. The drink is especially suitable for sportsmen since its composition has been designed for retaining and restoring of the body vigor and liquid balance in connection with exercise.

The importance of a balanced intake of potassium and magnesium and the adverse effects of sodium have been known for some time. The general population, especially those of the industrialized countries eat a lot of food which contains large amounts of table salt, i.e. sodium chloride. On the other hand, the intake of potassium and magnesium has been reduced and is often at a too low level.

Normal food should preferably contain sodium and potassium in a molar ratio of Na:K = about 1:1 and magnesium and calcium in a molar ratio of Mg:Ca = about 2:1, while the balance between magnesium and potassium should be Mg:K = about 1:4 in order for the intracellular electrolyte balance to be optimal.

EP patent 0 377 119 discloses a composition which is used as a natural-food product and a food additive, and which contains potassium chloride 65 %, magnesium sulfate 28 %, and additionally a compound which yields hydrogen ions and is preferably composed of lysine hydrochloride, citric acid, glutamic acid and ascorbic acid. This so-called ANTISALT^R salt preparation has been made into powders and pellets, which are ingested orally. These formulations have the disadvantage that their taste is objectionable and bitter.

During exercise the body loses liquid and salt due to an excessive perspiration. At the same time the energy reserve in the blood, i.e. the blood sugar level is reduced and the sportsman feels tired. Eating salt and sugar and drinking water to counteract the loss may help, but it is difficult to get the intake of the various compounds at the right level.

Various sports drinks have been recently designed most of which aim at restoring the energy balance in one way or another. The compositions often contain sugar compounds as an energy source and stimulating compounds such as proteins and coffein. The compositions generally lack a balanced formulation of potassium, magnesium and sodium. Especially they lack a proper balance between potassium and magnesium, which deficiency, in fact, makes

BNSDOCID: <WO_____9846091A1_I_>

the composition ineffective in restoring and retaining the energy and liquid balance of sportsmen.

The object of the present invention is to provide a sports drink with a balanced proportion of magnesium, potassium and sodium and with an energy source which is especially suitable for restoring and retaining the bodily vigor of sportsmen.

A special object of the invention is to provide a sports drink with a correct balance of potassium and magnesium corresponding to that of the transportation mechanism through the cell membrane. Thus the molar ratio between potassium and magnesium should be about 4 to 1.

Another objection of the invention is to provide a sports drink with a pleasant taste in spite of the objectionable and bitter taste of potassium chloride.

The object of the invention is also to provide a powder for a sports drink, which powder may be easily dissolved in water to make a sports drink.

Said objects are achieved according to the present invention, the characteristics of which are defined in the accompanying claims.

Thus, the invention relates to a sports drink powder composition comprising a major portion of a polysaccharide containing compound, a balanced proportion of a potassium compound, a magnesium compound and a sodium compound, and further including a taste-masking ingredient. The composition may additionally contain excipients or consistency agents, as well as weak organic acids.

The sugar compound is preferably maltodextrine which is mainly composed of polysaccharides. The amount of polysaccharides in maltodextrine is about 80-90% depending on the raw material used to produce the same. Maltodextrine also contains about 10% maltotriose, about 5% maltose, and about 1 to 3% dextrose.

The drink powder composition of the present invention contains about 85 to 96%, preferably about 90 to 95% and most preferably about 93 to 94% maltodextrine calculated on the dry weight of the powder.

The preferred sodium compound of the drink powder composition is sodium chloride, since

sodium chloride is lost with perspiration. The amount of sodium chloride is about 2.5 to 5%, preferably about 3 to 4% by weight of the dry drink powder.

The preferred potassium compound of the drink powder composition according to the invention is potassium chloride since it is easily dissolved in water. Potassium chloride has an inherent bitter taste, which, however, is masked in the present composition by taste-improving compounds.

The amount of potassium chloride in the composition is critical and should not vary too much. The preferred amount of potassium chloride is about 1/3 by weight of the amount of sodium chloride. Thus, a percentage of about 1.1 to 1.4% by weight is suitable, the most preferred amount of potassium chloride being about 1.2 to 1.3% by weight of the dry drink powder.

To provide the correct balance of magnesium and potassium, the drink powder composition contains a water soluble magnesium compound such as magnesium oxide or magnesium carbonate, and most preferably magnesium sulfate heptahydrate. When magnesium sulfate is used, it should be included in an amount which is balanced with the amount of potassium chloride in a weight ratio of about 1:2 to 1:2.5. The preferred amount of magnesium sulfate in the drink powder is 0.45 to 0.65%, preferably about 0.55%.

The ratio between potassium and magnesium is critical to the composition and its allowed variation is not more than about 2.5% by weight. The preferred ratio of K:Mg is 4:1 and the preferred ratio of KCl to MgSO₄ is 2.28:1.

The drink powder composition according to the present invention further contains a taste-improving or taste-masking ingredient at approx. 0.01 to 0.03% by weight on the dry powder. The preferred taste-masking ingredient is Gentianae powder or extract.

Primarily, Gentianae powder is prepared by evaporating the solvent and water from an extract or tincture prepared from dried roots of plants of the Gentianae family. Gentianae powder completely masks the objectionable and bitter taste of potassium chloride, and additionally it increases the secretion of saliva and stimulates the appetite.

The drink powder composition may also contain an organic carboxylic acid such as glutamic, tartaric, citric acid and/or ascorbic acid. Preferred amounts of these acids are from 0 to 0.5% by weight. The acids improve the solubility of the potassium and magnesium compounds and

WO 98/46091 PCT/FI97/00231

4

assist in their passage through the cell membrane, which accelerates restoration.

The composition according to the invention may additionally contain other physiologically acceptable ingredients, such as excipients. Microcrystalline cellulose and acacia fibers are examples of acceptable excipients giving a suitable consistency to the composition. The amount of excipient may vary between 0 and about 1% by weight of the dry drink powder.

Finally, the drink powder composition according to the present invention may contain aroma compounds up to a percentage of about 1 to 2%. Acceptable aroma compounds are synthetic and natural aroma compounds generally used in drinks of this kind. A typical example is citrus fruit powders such as orange or lemon juice powders.

The present drink powder composition is unique in that it provides a balanced intake of potassium and magnesium while restoring the lost sodium chloride and providing a slow release energy source for prolonged endurance and quick restoration in connection with exercise.

Maltodextrine is the preferred energy source in the present invention since the polysaccharides of maltodextrine are digested more slowly than simple saccharides. Thus the blood sugar levels will rise in a slower and more balanced fashion. This results in that the blood fat level increasing effect of the hydrocarbons will be lower than when using lower saccharides. Further, the effect of the polysaccharides on insulin excretion is at a lower level. The result is that even at prolonged exercise, the blood sugar level will be retained for a longer time at a positive level compared to the initial value than when using lower saccharides.

Maltodextrine and sodium in combination with the other ions, potassium, magnesium, and also chloride, in the proportions described in the present invention increases the endurance during prolonged exercise and speeds up the restoration after such exercise.

The present invention also relates to a sports drink which is produced from the above described drink powder by mixing the same in water. The powder may of course alternatively be dissolved in a fruit juice. However, this is not the preferred procedure since the drink powder contains aromatic substances which will preclude the necessity of adding further taste. The powder also contains a balanced amount of the various compounds and mixing it in a fruit juice might spoil some of the carefully balanced composition.

THE REAL PROPERTY.

The dry powder composition according to the invention may be prepared in a conventional manner by dry-blending the ingredients to form a homogenous drink powder.

The drink powder according to the invention is preferably packed in single-dose sachets. For use, the contents of a sachet are stirred into water and ingested before and/or after exercise.

The invention is described below in greater detail with the aid of some illustrating examples which should not be taken as limiting the scope of protection.

Example 1

Preparation of Gentianae powder

Water and alcohol are evaporated out from Gentianae tincture to produce Gentianae powder.

Example 2

Preparation of ANTISALTR salt powder

100 g of ANTISALT^R salt powder was produced by mixing the following dry ingredients into a homogeneous powder:

potassium chloride	55 g
magnesium sulfate	24 g
microcrystalline cellulose	20 g
glutamic acid	0.2 g
ascorbic acid	0.2 g
Gentianae powder	0.9 g

The Gentianae powder was blended with the glutamic acid, and this mixture was then blended with the other ingredients to produce a potassium-magnesium balancing salt powder.

Example 3

Preparation of a drink powder

A sports drink powder was prepared by mixing the following dry components into a homogeneous mixture:

WO 98/46091 PCT/FI97/00231

6

maltodextrine	93.20%
sodium chloride	3.65 %
ANTISALT ^R salt powder	2.28 % (prepared as in Example 2)
Lemon juice powder	0.65 %

Example 4

Preparation of a drink powder

A sports drink powder was prepared by mixing the following dry components into a homogeneous mixture:

Maltodextrine	93.48 %
NaCl	3.76 %
KCl (E 508)	1.25 %
Magnesium sulfate	0.54 %
Lemon aroma	0.50 %
Acacia fiber	0.46 %
Glutamic acid (E 620)	0.005 %
Ascorbic acid (E 300)	0.005 %
Gentianae extract	0.021 %

The energy content of the above drink powder was 1526 kJ (365 kCal) per 100 g.

The product was analysed and was found to contain per 100 g:

Carbohydrates	89.7 %
Moisture	3.9 %
Fat	0 %
Proteins	0 %
Potassium	625 mg
Magnesium	103 mg
Salt (NaCl)	3.76 g

This drink powder was packed into single-dose sachets containing 40 g each.

Example 5

Preparation of an aqueous sports drink

A sachet produced according to Example 4 was dissolved in 1/2 l of water to provide a sports drink having a carbohydrate content of 6.64 %. The drink is suitable for prolonged exercise and/or exercise in hot weather.

Another sachet produced according to claim 4 is dissolved in 1 l of water to produce a weaker sports drink which is suitable for milder exercise.

BNSDOCID: <WO_____9846091A1_I_>

Claims

- 1. A sports drink powder composition, c h a r a c t e r i z e d in that it contains a major portion of a polysaccharide containing compound, a balanced proportion of a potassium compound and a magnesium compound, a sodium compound, a taste-masking ingredient, and optionally excipients or consistency agents and/or weak organic acids.
- 2. A sports drink powder composition according to claim 1, c h a r a c t e r i z e d in that said polysaccharide containing compound is maltodextrine which is included in an amount of about 80-90% by weight based on the dry weight of the drink powder, preferably about 85 to 96%, more preferably about 90 to 95% and most preferably about 93 to 94% by weight based on the dry weight of the powder.
- 3. A sports drink powder composition according to claim 1 or 2, c h a r a c t e r i z e d in that said sodium compound is sodium chloride which is included in an amount of about 2.5 to 5%, preferably about 3 to 4% by weight of the dry drink powder.
- 4. A sports drink powder composition according to claim 1, 2 or 3, c h a r a c t e r i z e d in that said potassium compound is potassium chloride which is included in an amount of about 1.1 to 1.4%, preferably about 1.2 to 1.3% by weight of the dry drink powder.
- 5. A sports drink powder composition according to any one of the preceding claims, c h a r a c t e r i z e d in that said magnesium compound is magnesium sulfate which is included in an amount of about 0.45 to 0.65%, preferably about 0.55% by weight of the dry drink powder.
- 6. A sports drink powder composition according to claim 5, c h a r a c t e r i z e d in that said magnesium sulfate is balanced with the amount of potassium chloride in a weight ratio of about 1:2 to 1:2.5, preferably about 1:2.28.
- 7. A sports drink powder composition according to claim 6, c h a r a c t e r i z e d in that the molar ratio of magnesium to potassium is about 1:4.
- 8. A sports drink powder composition according to any one of the preceding claims, c h a r a c t e r i z e d in that it contains a taste-improving or taste-masking ingredient, preferably Gentianae powder or extract in an amount of about 0.01 to 0.03% by weight on

the dry powder.

- 9. A sports drink powder composition according to any one of the preceding claims, c h a r a c t e r i z e d in that it contains excipient(s) such as microcrystalline cellulose in an amount of between about 0 and about 1% by weight of the dry drink powder.
- 10. A sports drink powder composition according to any one of the preceding claims, c h a r a c t e r i z e d in that it contains an organic carboxylic acid selected from the group consisting of glutamic, tartaric, citric acid and ascorbic acid in an amount of about 0 to 0.5% by weight of the dry drink powder.
- 11. A sports drink powder composition according to any one of the preceding claims, characterized in that it contains an aroma compound, preferably orange or lemon juice powders in an amount of about 1 to 2%, based on the dry weight of the drink powder.
- 12. A sports drink powder composition according to any one of the preceding claims, characterized in that it contains

Maltodextrine	93.48 %
NaCl	3.65 %
KCI	1.25 %
Magnesium sulfate	0.54 %
Lemon aroma	0.50 %
Acacia fiber	0.46 %
Glutamic acid	0.005 %
Ascorbic acid	0.005 %
Gentianae extract	0.021 %
Aroma compounds	0.65 %

13. A sports drink, characterized in that it contains dissolved in an aqueous medium, preferably in water

Maltodextrine	80-90 %
NaCl	3-4 %
KCl	1.1-1.4 %
$MgSO_4 \cdot H_2O$	0.45-0.65 %
Consistency agent(s)	0-1 %

WO 98/46091 PCT/FI97/00231

10

Glutamic acid 0-0.5 %
Ascorbic acid 0-0.5 %
Gentianae extract 0.01-0.03 %
Aroma compounds 0-2%

based on the dry substance of the sports drink.

14. A sports drink according to claim 13, characterized in that it contains 40 g of said dry substance dissolved in 0.5 to 1 liter of water.

BNSDOCID- <WO_____9846091A1_I_>

INTERNATIONAL SEARCH REPORT

International application No.

PCT/FI 97/00231 A. CLASSIFICATION OF SUBJECT MATTER IPC6: A23L 2/39, A23L 2/52 According to International Patent Classification (IPC) or to both national classification and IPC **B. FIELDS SEARCHED** Minimum documentation searched (classification system followed by classification symbols) IPC6: A23L Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched SE,DK,FI,NO classes as above Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) WPI, DIALINDEX(FOODSCI) C. DOCUMENTS CONSIDERED TO BE RELEVANT Citation of document, with indication, where appropriate, of the relevant passages Relevant to claim No. Category* X US 5032411 A (STRAY-GUNDERSEN, J.), 16 July 1991 (16.07.91), claims 1-4,9,15,25 EP 0264117 A2 (OY SINEBRYCHOFF AB), 20 April 1988 1-3,11Y (20.04.88), claim 1 1-3,11 Y US 4312856 A (KORDUNER, H.M. ET AL.), 26 January 1982 (26.01.82), claim 1 1-3,11 Y SE 8904190-9 A (TOJKA PRODUKTER HB), 14 June 1991 (14.06.91), page 2, line 30; page 3, line 15, claims 1,3,4,7See patent family annex. Further documents are listed in the continuation of Box C. X later document published after the international filing date or priority date and not in conflict with the application but cited to understand Special categories of cited documents: document defining the general state of the art which is not considered the principle or theory underlying the invention to be of particular relevance "X" document of particular relevance: the claimed invention cannot be considered novel or cannot be considered to involve an inventive "E" ertier document but published on or after the international filing date document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other step when the document is taken alone "Y" document of particular relevance: the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other being obvious to a person skilled in the art document published prior to the international filing date but later than the priority date claimed "&" document member of the same patent family Date of mailing of the international search report Date of the actual completion of the international search 1 4 -11- 1997 13 November 1997 Name and mailing address of the ISA/ Authorized officer **Swedish Patent Office** Box 5055, S-102 42 STOCKHOLM INGA-KARIN PETERSSON Telephone No. +46 8 782 25 00 Facsimile No. +46 8 666 02 86

Form PCT/ISA/210 (second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT

International application No.
PCT/FI 97/00231

		PC1/11 3//0	
C (Continu	ation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Gtation of document, with indication, where appropriate, of the rele	vant passages	Relevant to claim No
A	WO 9002494 A1 (SVENSKA MEJERIERNAS RIKSFÖRENI EKONOMI AB), 22 March 1990 (22.03.90), c	NG laims 1,7,	1
1			
į			
1			
İ			
		•	
		٠	
İ			
1			
l	⁵ ~.		
l			
ŀ	·		
l			
l			
ŀ			

Form PCT/ISA/210 (continuation of second sheet) (July 1992)

INTERNATIONAL SEARCH REPORT Information on patent family members

01/10/97

International application No. PCT/FI 97/00231

	Patent document ed in search repor		Publication date	ı	Patent family member(s)		Publication date
US	5032411	A	16/07/91	AU US WO	7447691 5114723 9112734	Ā	18/09/91 19/05/92 05/09/91
EP	0264117	A2	20/04/88	SE DE US	0264117 3771995 4853237	A	12/09/91 01/08/89
US	4312856	A	26/01/82	JP JP JP SE SE	1291751 56117786 60016221 427983 8001244	A B B,C	29/11/85 16/09/81 24/04/85 30/05/83 16/08/81
ξE	8904190-9	Α	14/06/91	NON	 E		
dO	9002494	A1	22/03/90	AU SE SE	4224289 461697 8803249	B,C	02/04/90 19/03/90 16/03/90

Form PCT/ISA/210 (patent family annex) (July 1992)

THIS PAGE BLANK (USPTU)